



RHS Perfect for Pollinators plant list

Plants Highlighted in Yellow are stocked (in Season) at Skye Shrubs.

WINTER

NOV – FEB

Clematis cirrhosa <i>a clematis</i>	C
Crocus tommasinianus <i>a crocus</i>	B
Crocus vernus <i>a crocus</i>	B
Eranthis hyemalis <i>Winter aconite</i>	B
× Fatshedera lizei	S
Galanthus nivalis <i>Snowdrops - single flowered forms</i>	B
Helleborus argutifolius <i>a hellebore</i>	H
Helleborus foetidus <i>Native plant - Stinking hellebore</i>	H
Helleborus × hybridus <i>a hellebore</i>	H
Helleborus × sternii <i>a hellebore</i>	H
Lonicera × purpusii <i>a honeysuckle</i>	S
Mahonia × media	S
Salix aegyptiaca <i>a willow</i>	S
Sarcococca hookeriana <i>a winter box</i>	S
Sarcococca hookeriana var. digyna <i>a winter box</i>	S
Sarcococca humilis <i>a winter box</i>	S
Viburnum tinus <i>Laurustinus</i>	S

SPRING

MAR – MAY

Acer campestre <i>Native plant. Field maple</i>	S or T
Acer platanoides <i>Norway maple</i>	T
Acer pseudoplatanus <i>Sycamore</i>	T
Acer saccharum <i>Sugar maple</i>	T
Aesculus hippocastanum <i>Horse chestnut</i>	T
Ajuga reptans <i>Native plant. Bugle</i>	H
Arabis alpina subsp. caucasica <i>Arabis</i>	H
Aubrieta deltoidea <i>Aubrieta</i>	H
Aurinia saxatilis <i>Alyssum</i>	H
Berberis darwinii	S

SPRING (cont.)

Berberis thunbergii	S
Buxus sempervirens <i>Native plant Box</i>	S
Caltha palustris <i>Native plant. Marsh marigold</i>	H
Cercis siliquastrum <i>Judas tree</i>	T
Chaenomeles japonica <i>a Japanese quince</i>	S
Chaenomeles speciosa <i>a Japanese quince</i>	S
Chaenomeles x superba <i>a Japanese quince</i>	S
Cheiranthus cheiri <i>Wallflower</i>	Bi
Cornus mas <i>Cornelian cherry</i>	S
Crataegus monogyna <i>Native plant. Hawthorn</i>	S or T
Crocus spp & cultivars <i>Crocus (various)</i>	B
Doronicum x excelsum <i>Leopard's bane</i>	H
Enkianthus campanulatus	S
Erica carnea <i>a heath</i>	S
Erica x darleyensis <i>a heath</i>	S
Euphorbia characias <i>a spurge</i>	S
Euphorbia polychroma <i>a spurge</i>	H
Geranium phaeum <i>Dusky cranesbill</i>	H
Hebe spp & cultivars	S
Helleborus x hybridus <i>a hellebore</i>	H
Iberis saxatilis <i>a candytuft</i>	S
Iberis sempervirens <i>Perennial candytuft</i>	S
Ilex aquifolium <i>Native plant. Holly</i>	T
Lamium maculatum <i>a dead nettle</i>	H
Lunaria annua <i>Honesty</i>	Bi
Mahonia aquifolium <i>Oregon grape</i>	S
Malus baccata <i>a crab apple</i>	T
Malus domestica <i>edible apples</i>	T
Malus floribunda <i>a crab apple</i>	T
Malus hupehensis <i>a crab apple</i>	T
Malus 'John Downie' <i>a crab apple</i>	T
Malus sargentii <i>a crab apple</i>	T

KEY

T = tree; S = shrub; C = climber; B = bulbs and corms; A = annual; Bi = biennial; H = herbaceous perennial

RHS Perfect for Pollinators plant list

SPRING (cont.)

<i>Mespilus germanica</i> Medlar	T
Muscari armeniacum Grape hyacinth	B
<i>Ornithogalum umbellatum</i> Star of Bethlehem	B
<i>Pieris formosa</i>	S
<i>Pieris japonica</i>	S
Primula vulgaris Native plant. Primrose	H
<i>Prunus</i> 'Accolade' a flowering cherry	T
Prunus avium Native plant. Wild and edible cherries	T
Prunus domestica Edible plum	T
<i>Prunus dulcis</i> Almond	T
Prunus incisa 'Kojo-no-mai' a flowering cherry	S
<i>Prunus laurocerasus</i> Cherry laurel	S
<i>Prunus mume</i> a flowering cherry	T
Prunus padus Native plant. Bird cherry	T
<i>Prunus pendula</i> var. <i>ascendens</i> 'Rosea' a flowering cherry	T
<i>Prunus persica</i> Peach/nectarine	T
<i>Prunus spinosa</i> Native plant. Blackthorn/sloe	S
<i>Prunus tenella</i> a flowering cherry	S
<i>Prunus x yedoensis</i> a flowering cherry	T
<i>Pulmonaria angustifolia</i> a lungwort	H
<i>Pulmonaria saccharata</i> a lungwort	H
Pyrus communis Pear	T
Ribes nigrum Blackcurrant	S
Ribes rubrum Red/white currant	S
Ribes sanguineum Flowering currant	S
<i>Salix caprea</i> Native plant. Goat Willow - male form, not female	S or T
Salix hastata 'Wehrhahnii' a willow	S
Salix lanata a willow	S
<i>Skimmia japonica</i>	S
<i>Smyrniolus olusatrum</i> Alexanders	Bi
<i>Stachyurus chinensis</i>	S
<i>Stachyurus praecox</i>	S
<i>Taraxacum officinale</i> Native plant. Dandelion	H
Vaccinium corymbosum Blueberry	S

SUMMER

JUNE – AUG

Achillea filipendulina a yarrow	H
<i>Actaea japonica</i> a baneberry	H
<i>Aesculus indica</i> Indian horse chestnut - resistant to leaf-mining moth	T
<i>Aesculus parviflora</i> Buckeye	S
<i>Agastache foeniculum</i>	H
<i>Ageratum houstonianum</i> Floss flower	A
<i>Alcea rosea</i> Hollyhock single-flowered forms	Bi
<i>Allium aflatanense</i> an ornamental onion	B
<i>Allium christophii</i> an ornamental onion	B
<i>Allium giganteum</i> an ornamental onion	B
<i>Allium nutans</i> an ornamental onion	B
<i>Allium schoenoprasum</i> Chive	B
<i>Amberboa moschata</i> Sweet sultan	A
<i>Anchusa azurea</i>	A
<i>Anchusa capensis</i>	A
<i>Angelica archangelica</i> Angelica	Bi
<i>Angelica gigas</i> Giant angelica	Bi
<i>Angelica sylvestris</i> Native plant. Wild angelica	Bi
<i>Anthemis tinctoria</i> Golden marguerite	H
Antirrhinum majus Snapdragon	A or H
<i>Aquilegia</i> spp. Columbine	H
<i>Aruncus dioicus</i> Goatsbeard	H
<i>Asparagus officinalis</i> Vegetable asparagus	H
<i>Astrantia major</i>	H
<i>Borago officinalis</i> Borage	A
Buddleja davidii Butterfly bush	S
Buddleja globosa Orange ball tree	S
Calamintha nepeta subsp. <i>Nepeta</i> Catmint	H
Calendula officinalis Marigold - single-flowered forms	A
<i>Callicarpa bodinieri</i> var. <i>giraldii</i> Beauty berry	S
<i>Callistephus chinensis</i> Open-centred forms	A
Calluna vulgaris Native plant. Ling heather	S
Campanula carpatica a bellflower	H
Campanula glomerata Native plant. Clustered bellflower	H
<i>Campanula medium</i> Canterbury bells	Bi
Campanula persicifolia Peach-leaved bellflower	H
<i>Campsis radicans</i> Trumpet vine	C
<i>Caryopteris x clandonensis</i>	S

KEY

T = tree; S = shrub; C = climber; B = bulbs and corms; A = annual; Bi = biennial; H = herbaceous perennial

RHS Perfect for Pollinators plant list

SUMMER (cont.)

Catalpa bignonioides <i>Indian bean tree</i>	T
Centaurea atropurpurea	H
Centaurea cyanus <i>Native plant. Cornflower</i>	A
Centaurea dealbata	H
Centaurea macrocephala	H
Centaurea montana	H
Centaurea nigra <i>Native plant. Hard head knapweed</i>	H
Centaurea scabiosa <i>Native plant. Great knapweed</i>	H
Centranthus ruber <i>Red valerian</i>	H
Centratherum intermedium <i>Brazilian button</i>	A
Cerintho major 'Purpurascens' <i>Honeywort</i>	A
Cheiranthus × allionii <i>Siberian wallflower</i>	Bi
Clarkia elegans <i>Single-flowered forms</i>	A
Clematis vitalba <i>Native plant. Old man's beard/Traveller's joy</i>	C
Convolvulus tricolor <i>Annual bindweed</i>	C/A
Coreopsis lanceolata	H
Coreopsis tinctoria	A
Coreopsis verticillata	H
Cornus alba <i>Red-barked dogwood</i>	S
Cosmos bipinnatus	A
Cotoneaster horizontalis <i>Herringbone cotoneaster</i>	S
Cotoneaster microphyllus <i>Small-leaved cotoneaster</i>	S
Crambe cordifolia <i>a sea kale</i>	H
Crataegus monogyna <i>Native plant. Hawthorn</i>	S or T
Cucurbita pepo <i>Marrow/courgette</i>	A
Cuphea ignea <i>Cigar flower</i>	A
Cynara cardunculus <i>Cardoon</i>	H
Dahlia <i>Dahlia Open centred flower forms, eg 'Amazona', 'Moonfire'</i>	H
Dianthus barbatus <i>Sweet William</i>	Bi
Dictamnus albus <i>Burning bush</i>	H
Digitalis purpurea <i>Native plant. Foxglove</i>	Bi
Dipsacus fullonum <i>Native plant. Teasel</i>	Bi
Echinacea purpurea <i>Coneflower</i>	H
Echinops bannaticus <i>a globe thistle</i>	H
Echinops ritro <i>a globe thistle</i>	H
Echinops setifer <i>a globe thistle</i>	H
Echium vulgare <i>Native plant. Viper's bugloss</i>	A
Elaeagnus angustifolia <i>Oleaster</i>	S

SUMMER (cont.)

Erica cinerea <i>Native plant. Bell heather</i>	S
Erica erigena <i>a heath</i>	S
Erica vagans <i>Native plant. Cornish heath</i>	S
Erigeron spp. and hybrids <i>Fleabane</i>	H
Eryngium × tripartitum <i>a sea holly</i>	H
Eryngium alpinum <i>a sea holly</i>	H
Eryngium giganteum <i>a sea holly/ Miss Willmott's ghost</i>	Bi
Eryngium planum <i>a sea holly</i>	H
Escallonia cultivars	S
Eschscholzia californica <i>Californian poppy</i>	A
Eupatorium cannabinum <i>Native plant. Hemp agrimony</i>	H
Eupatorium maculatum	H
Ferula communis <i>Giant fennel</i>	H
Foeniculum vulgare <i>Fennel</i>	H
Fragaria × ananassa <i>Strawberry</i>	H
Fuchsia magellanica <i>a hardy fuchsia</i>	S
Gaillardia × grandiflora <i>Blanket flower</i>	H
Geranium pratense <i>Native plant. Meadow cranesbill</i>	H
Geranium ROZANNE = 'Gerwat' <i>a hardy geranium</i>	H
Geum 'Borisii' <i>a geum</i>	H
Gilia capitata <i>Queen Anne's thimbles</i>	A
Hebe spp. and cultivars	S
Helenium 'Moerheim Beauty'	H
Helenium 'Sahin's Early Flowerer'	H
Helenium 'Sonnenwunder'	H
Helianthus annuus <i>Sunflower Single-flowered forms; avoid pollen-free cultivars.</i>	A
Heliotropium arborescens <i>Cherry pie/ Heliotrope</i>	A
Heracleum sphondylium <i>Native plant. Hogweed</i>	Bi
Hesperis matronalis <i>Sweet rocket/ Dame's violet</i>	H
Hydrangea anomala subsp. petiolaris <i>Climbing hydrangea</i>	C
Hydrangea paniculata <i>Cultivars with many fertile flowers eg 'Kyushu', 'Big Ben', 'Floribunda', 'Brussels Lace'</i>	S
Hyssopus officinalis <i>Hyssop</i>	S
Iberis amara <i>Candytuft</i>	A
Ilex aquifolium <i>Native plant. Holly</i>	T
Inula ensifolia	H
Inula hookeri	H
Inula magnifica	H
Jasminum officinale <i>Common jasmine</i>	C

KEY

T = tree; **S** = shrub; **C** = climber; **B** = bulbs and corms; **A** = annual; **Bi** = biennial; **H** = herbaceous perennial

RHS Perfect for Pollinators plant list

SUMMER (cont.)

<i>Kalmia latifolia</i> Calico bush	S
<i>Knautia arvensis</i> Native plant. Field scabious	H
<i>Knautia macedonica</i>	H
<i>Koelreuteria paniculata</i> Golden-rain tree	T
<i>Laurus nobilis</i> Bay tree	S
<i>Lavandula</i> × <i>intermedia</i> a lavender	S
<i>Lavatera olbia</i> a shrubby mallow	S
<i>Lavatera trimestris</i>	A
<i>Leucanthemum</i> × <i>superbum</i> Open-centred flower forms	H
<i>Leucanthemum vulgare</i> Native plant. Ox-eye daisy	H
<i>Ligustrum ovalifolium</i> a privet	S
<i>Ligustrum sinense</i> a privet	S
<i>Limnanthes douglasii</i> Poached egg plant	A
<i>Limonium latifolium</i> a sea lavender	H
<i>Linaria purpurea</i> Purple toadflax	H
<i>Lobularia maritima</i> Sweet alyssum	A
<i>Lonicera periclymenum</i> Native plant. Common honeysuckle	C
<i>Lychnis coronaria</i> Rose campion	Bi or H
<i>Lychnis flos-cuculi</i> Native plant. Ragged robin	H
<i>Lysimachia salicaria</i> Native plant. Purple loosestrife	H
<i>Lysimachia vulgaris</i> Native plant. Yellow loosestrife	H
<i>Lythrum virgatum</i> 'Dropmore Purple' a loosestrife	H
<i>Malope trifida</i> Annual mallow	A
<i>Malva moschata</i> Native plant. Musk mallow	H
<i>Matthiola incana</i> Stock	Bi
<i>Mentha aquatica</i> Native plant. Water mint	H
<i>Mentha spicata</i> Garden mint	H
<i>Monarda didyma</i> Bergamot	H
<i>Myosotis</i> spp Forget-me-not	Bi
<i>Nemophila menziesii</i> Baby blue-eyes	A
<i>Nepeta</i> × <i>faassenii</i> a catmint	H
<i>Nicotiana glauca</i> a tobacco	A
<i>Nigella damascena</i> Love-in-a-mist	A
<i>Oenothera biennis</i> Evening primrose	Bi
<i>Olearia</i> × <i>haastii</i> Daisy bush	S
<i>Onopordum acanthium</i> Giant thistle	Bi
<i>Origanum</i> 'Rosenkuppel' Majoram	H
<i>Origanum vulgare</i> Native plant. Majoram	H
<i>Papaver orientale</i> Oriental poppy	H

SUMMER (cont.)

<i>Papaver rhoeas</i> Native plant. Field poppy	A
<i>Parthenocissus quinquefolia</i> Virginia creeper	C
<i>Parthenocissus tricuspidata</i> Boston ivy	C
<i>Penstemon</i> cultivars	T
<i>Perovskia atriplicifolia</i>	S
<i>Persicaria amplexicaulis</i> a bistort	H
<i>Persicaria bistorta</i> Native plant. a bistort	H
<i>Phacelia tanacetifolia</i>	A
<i>Phaseolus coccineus</i> Runner bean	A
<i>Polemonium caeruleum</i> Native plant. Jacob's ladder	H
<i>Potentilla fruticosa</i> Native plant. a shrubby potentilla	S
<i>Potentilla</i> 'Gibson's Scarlett'	H
<i>Ptelea trifoliata</i> Hop tree	S
<i>Pyracantha coccinea</i> Firethorn	S
<i>Reseda odorata</i> Mignonette	A
<i>Robinia pseudoacacia</i> Black locust/False acacia	T
<i>Rosa canina</i> Native plant. Dog rose	S
<i>Rosa rubiginosa</i> Native plant. Sweet briar rose	S
<i>Rosa rugosa</i> Hedgehog rose	S
<i>Rosmarinus officinalis</i> Rosemary	S
<i>Rubus fruticosus</i> Native plant and edible blackberry	S
<i>Rubus idaeus</i> Raspberry	S
<i>Rudbeckia fulgida</i>	H
<i>Rudbeckia hirta</i>	A
<i>Rudbeckia laciniata</i> Open-centred flower forms	H
<i>Salvia horminum</i> Annual dary	A
<i>Salvia nemorosa</i> a sage	H
<i>Salvia officinalis</i> Common sage	H
<i>Scabiosa caucasica</i> Scabious	H
<i>Scabiosa columbaria</i> Native plant. Small scabious	H
<i>Sedum spectabile</i> Ice plant	H
<i>Sedum telephium</i> Native plant. Orpine	H
<i>Sidalcea malviflora</i> Checkerbloom	H
<i>Solidago</i> spp. and cultivars Golden rod	H
<i>Sorbus aria</i> Native plant. Whitebeam	T
<i>Sorbus aucuparia</i> Native plant. Mountain ash/rowan	T
<i>Spiraea japonica</i>	S
<i>Stachys byzantina</i> Lambs' ears	H
<i>Stachys macrantha</i>	H
<i>Symphoricarpos albus</i> Snowberry	S

KEY

T = tree; S = shrub; C = climber; B = bulbs and corms; A = annual; Bi = biennial; H = herbaceous perennial

RHS Perfect for Pollinators plant list

SUMMER (cont.)

<i>Tagetes patula</i> French marigold	A
<i>Tamarix ramosissima</i> Tamarisk	S
<i>Tanacetum vulgare</i> Native plant. Tansy	H
<i>Telekia speciosa</i>	H
<i>Tetradium daniellii</i>	T
<i>Teucrium chamaedrys</i>	H
Thymus serpyllum and cultivars Native plant. Wild thyme	S
Thymus spp. and cultivars Thyme	S
<i>Tilia × europaea</i> Common lime	T
<i>Tilia cordata</i> Native plant. Small-leaved lime	T
<i>Tilia maximowicziana</i> a lime tree	T
<i>Tilia oliveri</i> a lime tree	T
<i>Tilia platyphyllos</i> Large-leaved lime	T
<i>Tilia tomentosa</i> a lime tree	T
<i>Tithonia rotundifolia</i> Mexican sunflower	A
<i>Verbascum olympicum</i> a mullein	Bi
<i>Verbascum thapsus</i> Native Plant. Common mullein	Bi
<i>Verbena × hybrida</i>	A
<i>Verbena bonariensis</i>	H
<i>Verbena rigida</i>	A
<i>Veronica longifolia</i>	H
<i>Veronicastrum virginicum</i>	H
<i>Viburnum lantana</i> Native plant. Wayfaring tree	S
<i>Viburnum opulus</i> Native plant. Guelder rose	S
<i>Vicia faba</i> Broad bean	A
Weigela florida	S
<i>Zauschneria californica</i> Californian fuchsia	S
<i>Zinnia elegans</i>	A

AUTUMN

SEPT – OCT

<i>Aconitum carmichaeli</i> a monkshood	H
<i>Actaea simplex</i> Bugbane	H
Anemone hupehensis a japanese anemone	H
<i>Anemone × hybrida</i> a japanese anemone	H
<i>Arbutus unedo</i> Strawberry tree	S or T
<i>Aster amellus</i> a perennial aster	H
<i>Aster ericoides</i> f. prostratus a perennial aster	H
<i>Aster koraiensis</i> a perennial aster	H
<i>Aster lateriflorus</i> var horizontalis a perennial aster	H
<i>Aster novae-angliae</i> a Michaelmas daisy	H
Aster novi-belgii a Michaelmas daisy	H
<i>Aster oolentangiensis</i> a perennial aster	H
<i>Aster turbinellus</i> a perennial aster	H
<i>Aster × frikartii</i> ‘Mönch’ a perennial aster	H
<i>Campanula poscharskyana</i> a bellflower	H
<i>Ceratostigma plumbaginoides</i>	H
<i>Clematis heracleifolia</i> a clematis	C
<i>Colchicum</i> spp. Autumn crocus	B
Dahlia cultivars <i>Dahlia</i> - single-flowered forms	H
<i>Elaeagnus pungens</i>	S
<i>Elaeagnus × ebbingei</i>	S
Fatsia japonica Japanese aralia	S
<i>Hedera colchica</i> Persian ivy	C
<i>Hedera helix</i> Native plant. Ivy	C
<i>Hedera helix</i> ‘Arborescens’	C
<i>Helianthus × laetiflorus</i> a sunflower	H
<i>Leucanthemella serotina</i>	H
<i>Salvia leucantha</i> Mexican bush	H
<i>Salvia</i> ‘Mystic Spires Blue’	H
<i>Tilia henryana</i> a lime tree - one of the last to flower	T

KEY

T = tree; **S** = shrub; **C** = climber; **B** = bulbs and corms; **A** = annual; **Bi** = biennial; **H** = herbaceous perennial